



i-SENSYS X C1333P

FAST, INNOVATIVE DESKTOP DEVICE PRODUCING HIGH QUALITY PRINTS

Power your business with cloud and mobile connectivity



PRODUCTIVITY



**CONTROL AND
MAINTENANCE**



CONNECTIVITY



COMPACT DESIGN



SECURITY



SUSTAINABILITY

Canon

i-SENSYS X C1333P

PRODUCTIVITY

- Quick and easy device set-up
- Smart touchscreen display
- Customisable options with Application Library
- Automatic duplex printing

CONNECTIVITY

- Print from mobile devices, wherever you are
- Remote device set-up and control with the Canon Print Business App
- Connect to cloud directly from the device for simple storage solutions or through Canon's uniFLOW Online for secure advanced scan workflows

CONTROL AND MAINTENANCE

- Cloud and server-based software options for centralised fleet control
- Flexible user management solutions for business administrators and IT department
- Remote access to device control functions
- Toner status tool reduces downtime

SECURITY

- Embedded User Authentication secures device access
- Secure Print prevents unauthorised viewing of printed material
- Verify System at Start-up enhances device integrity
- Enhanced security protocol with TLS 1.3

COMPACT DESIGN

- Desktop size makes it easy fit into any office
- Additional optional cassettes can increase paper input capacity
- All-in-one cartridge design increases toner capacity

SUSTAINABILITY


- Low TEC (Typical Electrical Consumption) decreases power consumption to save energy and lower running costs
- Sleep mode reduces energy consumption further
- Auto Duplex Print saves on paper wastage

QUICK FACTS

i-SENSYS X C1333P

- Print Speed: 33ppm (A4), 60ppm (A5 landscape)
- 5-inch/12.7cm TFT LCD touchscreen
- Print resolution: up to 1,200 x 1,200 dpi
- Automatic double-sided printing
- Network, Wi-Fi, USB and QR code connectivity
- Max paper input capacity: 850 sheets

TAILORED SOLUTIONS TO MEET EVERY CHALLENGE



Canon's Digital Transformation Services (DTS), bring together our leading hardware and software into an integrated technology ecosystem, designed to support your transformation journey. This offering combines Managed Print Services and Workspace Collaboration solutions, to help you gain transparency and control over the entire document lifecycle.

TECHNICAL SPECIFICATIONS

i-SENSYS X C1333P

PRINTER ENGINE

Print speed	Single sided : Up to 33 ppm (A4) Up to 60 ppm (A5-Landscape) Double sided : Up to 29.5 ipm (A4)
Printing method	Colour laser beam printing
Print resolution	Up to 1200 x 1200 dpi
Warm-up time	Approx. 19.4 seconds or less from power on
First Page Out Time	Approx. 7.1 sec or less
Recommended Monthly Print Volume	750 - 4,000 pages per month
Duty cycle	Max. 50,000 pages per month ¹
Print margins	5 mm-top, bottom, left and right
Advanced printing features	Encrypted Secure Print Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ² : uniFLOW Online, Dropbox, GoogleDrive, OneDrive (PDF/JPEG) Microsoft Universal Print support Barcode Print ³ iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

MEDIA HANDLING

Paper input (Standard)	250-sheet cassette 50-sheet multi-purpose tray
Paper input (Option)	550-sheet cassette
Paper output	150-sheet
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Pre-punched, Label, Post card, Envelope
Media sizes	Cassette (Standard): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 98 x 148 mm Max. 216.0 x 356.0 mm. Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76 x 127 mm Max. 216.0 x 356.0 mm. Cassette (Optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm.
Media weights	Cassette (standard and optional): 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 176 g/m ² (Up to 200 g/m ² with Coated paper)
Double sided printing	Automatic Cassette: A4, A5, A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 148 x 148 mm Max. 216.0 x 356.0 mm, 60 to 200 g/m ²

GENERAL FEATURES

Power requirements	220-240V (±10%) 50/60Hz (±2Hz)
Power consumption	Maximum: Approx. 1,380W or less Active printing: Approx. 700W Standby: Approx. 24.0W or less Sleep: Approx. 1.0W or less Typical Electricity Consumption (TEC): 0.31 kWh/week ⁷ For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
Noise level	Sound power ⁴ Active: 65dB or less Standby: 36dB or less Sound pressure ⁴ Active: 1-Sided 51dB (CL) / 50 dB (BW) 2-Sided 51dB (CL) / 50dB (BW) Standby: 25 dB
Dimensions (W x D x H)	425 mm x 427 mm x 380 mm
Weight	Approx. 16.1 kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)
Control panel	12.7 cm LCD Colour Touch Screen
CONTROLLER	
Processor Speed	1200MHz x 2
Memory	1GB
Printer Languages	UFRII, PCL5c ⁴ , PCL6, Adobe® PostScript3
Fonts	93 PCL fonts, 136 PS fonts
Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Software and Printer Management	Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW compatibility / Application Library
Operating Systems Compatibility	Windows® 11/ 10 / Windows® 8.1 / Server 2022/ Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012 Mac OS X version 10.12 & up Linux ⁶
CONSUMABLES	
All-in-One cartridges	TONER T12 Black (7,400 pages ⁵) TONER T12 Cyan (5,300 pages ⁵) TONER T12 Magenta (5,300 pages ⁵) TONER T12 Yellow (5,300 pages ⁵)
ACCESSORIES/ OPTIONS	
Items	Paper Feeder PF-K1 (550-sheet cassette) Barcode Printing Kit-E1E MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW) Micarwd Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Attachment Kit-B1

Notes:

- ^[1] Subscription to a third party cloud service is required, and subject to their party terms and conditions.
- ^[2] Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- ^[3] Accessory - Barcode Printing Kit-E1E is required
- ^[4] Declared noise emission in accordance with ISO 7779. Based on ISO9296, below figure is different.
Active: 62dB or less
- ^[5] Commands supported only. Third party driver or direct printing from application required.
- ^[6] Web distribution only. Driver will be available in 2H, 2022
- ^[7] Based on ISO/IEC19798
- ^[8] As per US ENERGY STAR® version3.0.

Software & Solutions



Compatibility



Canon

Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2022